oid qoq

Vü Imaging System

Your Next Generation

Gel Imaging System



Home of innovative imaging products

Pop Bio Vü Imaging System is built on over 100 years of collective imaging experience, with our expert development team having developed multiple patented imaging techniques for the scientific and healthcare markets.

With extensive world-wide distribution experience in the establishment of sales channels for gel and blot imaging systems, Pop Bio is an established and respected group in the life science market.







Non-CCD Camera Technology Gel Imaging



Motorized Light Filter Wheel (Not Required)



Cooling System for Noise Reduction (Not Required)




Compact Small Footprint




Operation Process of Vü System










System Technology

Vü Scanning Sensor Array (Patented)




- System is equipped with Vü patented Scanning Sensor Array to collect gel imaging output.
- Sensor is about 3mm 5mm near to the gel or blot, to maximize imaging signal collection.
- Provides Ultra Resolution (50 megapixels 90 megapixels) and High Intensity Blot and Gel Images.
- Benefits to low signal samples or faint bands imaging collection.
- Aids to better imaging background and low noise.


Automated Intelligence Imaging Process



- Imaging process is intelligently operated by the Automated Imaging Acquisition Software.
- Places the gel or blot on tray, push the tray to close, system automatically detects and starts the image acquisition, then saves it automatically to pre-defined drives.



Chemiluminescence Blot Image Example (Vü-C)



Fluorescence Gel Image Example (Vü-F)

Vü Imaging Vü-C & Vü-F



Vü-C (Chemiluminescence)


- System is applicable for Western Blot.
- It is equipped with RGB integral LED for White Light, Colour and Chemiluminescence illumination.
- Weight of equipment is 8 kg.
- It is applicable for blot size up to 10 x 10 cm.



Vü-F (Fluorescence)

- System is applicable for Fluorescent Gel (EtBr / SYBR® Green / Safe Dyes) and SDS-PAGE Gel (Coomassie Blue / Silver Stain).
- It is equipped with UV, Blue Light LED and White Light Screen illumination.
- Weight of equipment is 15 kg.
- System is applicable for gel size up to 20 x 20 cm.

Intelligent, Automated & Comprehensive Software Package



Vü Imaging Software

- Fully Automated
- Intelligent Acquisition Process
- Simple and Intuitive User Interface
- Easy to Use
- Quick and Easy Viewing

Analysis Software

- Workflow based Concept
- Automatic lane and band detection
- Fix run distortions through Rf calibration
- · Define and subtract profile background
- · Quantity and molecular weight calibration



Vü Imaging **Specification**


Vü-F	
Application	Fluorescent gels and Protein Gels
Illumination	UV integral tube 302nm Blue light integral LEDs White light conversion screen
Sample size (cm)	20 x 20
Sensor resolution	90 megapixels
Image output	TIFF
Footprint D x W x H	470 x 435 x 200 mm
Power supply	100 – 240 V external
Connectivity	Integral Wi-Fi and Ethernet
Analysis software	Unlimited
Warranty	2 years

Vü-C	
Application	Chemiluminescence Western blots
Illumination	RGB integral LEDs for marker including coloured markers
Sample size (cm)	10 x 10
Sensor resolution	51 megapixels
Image output	TIFF
Footprint D x W x H	390 x 355 x 180 mm
Power supply	100 – 240 V external
Connectivity	Integral Wi-Fi and Ethernet
Analysis software	Unlimited
Warranty	2 years

Ordering Information

Product Codes	Product Description
10-1007-02*	Vü-C Chemiluminescence Imaging System
10-1007-04*	Vü-F Fluorescence Imaging System
10-1007-07*	Vü-C/F Combo of Chemiluminescence and Fluorescence Imaging System
20-1001-01	Vü-C Chemi. Tray
20-1001-30B	Vü-C Black Chemi. Plastic Blot Cover
20-1001-30W	Vü-C White Chemi. Plastic Blot Cover
20-1001-02	Vü-F Transparent Gel Tray
20-1001-03	Vü-F Blue Light Black Gel Tray
20-1001-26	Vü-F White Light Convertor Screen
20-1001-06	Power Pack
20-1001-33	Main Power Cord, UK Type
20-1001-34	Main Power Cord, EU Type
20-1001-35	Main Power Cord, US Type
20-1001-11	Vü Ethernet Cable

^{*}System includes main unit, gel trays, light converters or blot covers, ethernet cable, Vü Imaging Software and Analysis Software.





Service & Support technical@pop-bio.com

Pop-Bio Ltd. Milton Hall, Ely Road, Milton, Cambridge, CB24 6WZ, UK

Malaysia Pop Bio Sdn Bhd 200301032430 (634851-X) Level 17, Top Glove Tower, No.16, Persiaran Setia Dagang, Setia Alam, Seksyen U13, 40170 Shah Alam, Selangor Darul Ehsan, Malaysia



